

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------------------------|------------------|---------|------------------|
| L1 | 5751 | monitor\$3 near3 (power adj (supply source)) | USPAT | OR | OFF | 2004/12/22 16:11 |
| L2 | 300 | 1 same (power near3 state) | USPAT | OR | OFF | 2004/12/22 16:04 |
| L3 | 73 | 2 and 713/3?? | USPAT | OR | OFF | 2004/12/22 16:04 |
| L4 | 5000 | monitor\$3 near3 (power adj (supply source)) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/22 16:12 |
| L5 | 380 | (monitor\$3 near3 (power adj (supply source))) same (power near3 state) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/22 16:15 |
| L6 | 8 | (monitor\$3 near3 (power adj (supply source))) same (power near3 state) same ((shut\$3 off) near3 device\$1) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/12/22 16:16 |
| L7 | 17 | (monitor\$3 near3 (power adj (supply source))) same (power near3 state) same ((shut\$3 off) near3 device\$1) | USPAT | OR | OFF | 2004/12/22 16:16 |
| S1 | 6750 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with (power adj (supply source)) | USPAT | OR | OFF | 2004/12/22 12:41 |
| S2 | 365 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with ((power adj (supply source)) near3 (level threshold)) | USPAT | OR | OFF | 2004/04/03 10:50 |
| S3 | 1 | "6512682".pn. | USPAT | OR | OFF | 2004/04/02 17:07 |
| S4 | 1 | "6301674".PN. | USPAT | OR | OFF | 2004/04/03 11:15 |
| S5 | 7 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with ((power adj (supply source)) near3 (level threshold)) and 713/3??ccls. | USPAT | OR | OFF | 2004/04/03 13:31 |
| S6 | 171 | (thuan near2 du).xa. | USPAT | OR | OFF | 2004/04/03 12:40 |
| S7 | 3 | (thuan near2 du).xa. and rail\$1 | USPAT | OR | OFF | 2004/04/03 11:11 |
| S8 | 3 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with ((power adj (supply source)) near3 (level threshold)) same (power adj requirement\$1) | USPAT | OR | OFF | 2004/04/03 13:17 |
| S9 | 1 | "6167486".PN. | USPAT | OR | OFF | 2004/04/03 11:15 |
| S10 | 28 | (thuan near2 du).xa. and 713/3?? | USPAT | OR | OFF | 2004/12/22 16:04 |
| S11 | 5 | (thuan near2 du).xa. and 713/3?? and (power near3 available) | USPAT | OR | OFF | 2004/04/03 11:13 |
| S12 | 44 | "5483656" | USPAT | OR | OFF | 2004/04/03 11:17 |
| S13 | 0 | ((thuan near2 du).xa.) and "5483656" | USPAT | OR | OFF | 2004/04/03 11:17 |

| | | | | | | |
|-----|------|--|---|----|-----|------------------|
| S14 | 172 | (power voltage) adj modification | USPAT | OR | OFF | 2004/04/03 13:13 |
| S15 | 7 | ((power voltage) adj modification) same (power adj requirement\$1) | USPAT | OR | OFF | 2004/04/03 13:13 |
| S16 | 5518 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with (power adj (supply source)) | US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/03 13:16 |
| S17 | 207 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with (power adj (supply source)) near3 (level threshold) | US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/03 13:17 |
| S18 | 2 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with ((power adj (supply source)) near3 (level threshold)) same (power adj requirement\$1) | US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/03 13:25 |
| S19 | 0 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with ((power adj (supply source)) near3 (level threshold)) and 713/3??ccls. | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/03 13:30 |
| S20 | 2730 | table with (power voltage) near3 (level\$1 require\$4) | USPAT | OR | OFF | 2004/04/03 13:35 |
| S21 | 426 | 713/340.ccls. | USPAT | OR | OFF | 2004/04/03 13:35 |
| S22 | 26 | ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) with (power adj (supply source)) and 713/340. ccls. | USPAT | OR | OFF | 2004/04/03 13:47 |
| S23 | 10 | (table with (power voltage) near3 (level\$1 require\$4)) and 713/340. ccls. | USPAT | OR | OFF | 2004/04/03 14:55 |
| S24 | 1220 | (power adj (supply source)) near3 (reduc\$4 drop\$3) with (threshold predetermined predefined) | USPAT | OR | OFF | 2004/12/22 12:52 |
| S25 | 27 | ((power adj (supply source)) near3 (reduc\$4 drop\$3) with (threshold predetermined predefined)) same ((adjust\$3 modif\$8) near3 (power voltage frequenc\$3)) | USPAT | OR | OFF | 2004/04/05 10:08 |
| S26 | 1138 | (smit tate).in. | USPAT | OR | OFF | 2004/04/05 10:09 |
| S27 | 2 | ((smit tate).in.) and g06f\$.ipc.) and trujillo.xa. | USPAT | OR | OFF | 2004/04/06 11:00 |
| S28 | 53 | ((smit tate).in.) and g06f\$.ipc. | USPAT | OR | OFF | 2004/04/05 10:10 |
| S29 | 402 | monitor\$3 near5 level near5 (power adj (supply source)) | USPAT | OR | OFF | 2004/04/06 09:56 |
| S30 | 63 | (monitor\$3 near5 level near5 (power adj (supply source))) and g06f\$.ipc. | USPAT | OR | OFF | 2004/04/05 16:25 |
| S31 | 709 | power near2 budget\$3 | USPAT | OR | OFF | 2004/04/05 16:26 |

| | | | | | | |
|-----|-------|--|----------------------------|----|-----|------------------|
| S32 | 2 | (power near2 budget\$3) same ((chang\$3 adjust\$3) near2 state\$1) | USPAT | OR | OFF | 2004/04/05 16:28 |
| S33 | 5 | (monitor\$3 near5 level near5 (power adj (supply source))) same ((chang\$3 adjust\$3) near2 state\$1) | USPAT | OR | OFF | 2004/04/05 16:30 |
| S34 | 26 | oprescu.in. and apple.as. | USPAT | OR | OFF | 2004/04/05 16:30 |
| S35 | 17 | atkinson.in. and compaq.as. | USPAT | OR | OFF | 2004/04/05 17:09 |
| S36 | 0 | (atkinson.in. and compaq.as.) and graphic\$1.ti. | USPAT | OR | OFF | 2004/04/05 17:10 |
| S37 | 13 | (atkinson.in. and compaq.as.) and graphic\$1 | USPAT | OR | OFF | 2004/04/05 17:10 |
| S38 | 193 | monitor\$3 near5 level near5 (power adj (supply source)) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/05 17:27 |
| S39 | 28 | (monitor\$3 near5 level near5 (power adj (supply source))) same (reduc\$3 off) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2004/04/05 20:10 |
| S40 | 13 | "5804894" "6453198" | USPAT | OR | OFF | 2004/04/06 09:39 |
| S41 | 17625 | operat\$4 with (power near3 level\$1) | USPAT | OR | OFF | 2004/04/06 09:40 |
| S42 | 3039 | operat\$4 with ((power adj (supply source)) near3 level\$1) | USPAT | OR | OFF | 2004/04/06 09:44 |
| S43 | 431 | operat\$4 with device\$1 with ((power adj (supply source)) near3 level\$1) | USPAT | OR | OFF | 2004/04/06 09:52 |
| S44 | 29 | "3".ab. | USPAT | OR | OFF | 2004/04/06 09:52 |
| S45 | 6 | (operat\$4 with device\$1 with ((power adj (supply source)) near3 level\$1)) same (monitor\$3 near5 level near5 (power adj (supply source))) | USPAT | OR | OFF | 2004/04/06 10:00 |
| S46 | 1 | "5349668".PN. | USPAT | OR | OFF | 2004/04/06 10:15 |
| S47 | 1 | "5442794".PN. | USPAT | OR | OFF | 2004/04/06 10:17 |
| S48 | 1 | "5581772".PN. | USPAT | OR | OFF | 2004/04/06 10:18 |
| S49 | 1 | "5710931".PN. | USPAT | OR | OFF | 2004/04/06 10:21 |
| S50 | 1 | "5717936".PN. | USPAT | OR | OFF | 2004/04/06 10:21 |
| S51 | 1 | "5784626".PN. | USPAT | OR | OFF | 2004/04/06 10:22 |
| S52 | 1 | "6243831".PN. | USPAT | OR | OFF | 2004/04/06 10:23 |
| S53 | 1 | "6266776".PN. | USPAT | OR | OFF | 2004/04/06 10:23 |
| S54 | 22 | "acpi table" | USPAT | OR | OFF | 2004/04/06 14:19 |
| S55 | 31 | component\$1 with (different near3 (power near2 require\$4)) | USPAT | OR | OFF | 2004/04/07 10:56 |
| S56 | 28247 | (determin\$5 calculat\$4) with (voltage power) with (depend\$3 base\$1) | USPAT | OR | OFF | 2004/04/07 11:04 |

| | | | | | | |
|-----|-------|---|-------|----|-----|------------------|
| S57 | 615 | (determin\$5 calculat\$4) with (voltage power) with ((depend\$3 base\$1) near3 (power adj (source supply))) | USPAT | OR | OFF | 2004/04/07 11:06 |
| S58 | 435 | (determin\$5 calculat\$4) with (voltage power) with (provid\$3 suppl\$4) with ((depend\$3 base\$1) near3 (power adj (source supply))) | USPAT | OR | OFF | 2004/04/07 17:47 |
| S59 | 100 | (detect\$3 near3 current) with (power adj level) | USPAT | OR | OFF | 2004/04/07 17:48 |
| S60 | 4 | ((detect\$3 near3 current) with (power adj level)) and 713/3???.ccls. | USPAT | OR | OFF | 2004/04/07 17:49 |
| S61 | 1771 | (detect\$4 monitor\$3) near5 level near5 battery | USPAT | OR | OFF | 2004/11/15 10:13 |
| S62 | 86 | S61 and "713"/\$.ccls. | USPAT | OR | OFF | 2004/11/15 10:14 |
| S63 | 77 | (SURYAWANSHI near2 SURESH).xa. | USPAT | OR | OFF | 2004/12/22 12:45 |
| S64 | 8 | "5991883" | USPAT | OR | OFF | 2004/12/22 12:48 |
| S65 | 2 | S63 and S64 | USPAT | OR | OFF | 2004/12/22 12:48 |
| S66 | 3728 | modification near2 signal | USPAT | OR | OFF | 2004/12/22 12:52 |
| S67 | 1297 | (power adj (supply source)) near3 (reduc\$4 drop\$3) with (threshold predetermined predefined) | USPAT | OR | OFF | 2004/12/22 12:52 |
| S68 | 12 | modification near2 signal and S67 | USPAT | OR | OFF | 2004/12/22 14:11 |
| S69 | 2 | ("5765001" "6802014").pn. | USPAT | OR | OFF | 2004/12/22 13:50 |
| S70 | 20675 | monitor\$3 near3 power | USPAT | OR | OFF | 2004/12/22 14:12 |
| S71 | 4 | S66 same S70 | USPAT | OR | OFF | 2004/12/22 14:12 |